

INDEX MAPS.

T. 7N, R. 6E. 2nd Mer.

	7	7	7-6	6	6	6						
10	6	24	5	28	4	23	3	18	2	14	1	5
	34		34		28		23		18		14	
9	7	33	8	27	9	22	10	18	11	13	12	5
	33		32		27		22		17		13	
9	18	32	17	26	16	21	15	17	14	13	13	5
	32		31		26		21		17		12	
8	19	31	20	26	21	20	22	16	23	12	24	4
	31		30		25		20		16		12	
8	30	30	29	24	28	20	27	15	26	11	25	4
	30		29		24		19		15		11	
8	31	29	32	24	33	19	34	15	35	10	36	3
	3		2		2		2		1		1	

T. 8N, R. 6E. 2nd Mer.

	49		48		48		48		47		47	
49 52	6	74	5	68	4	63	3	60	2	56	1	47
	73		73		67		63		59		55	
50 51	7	73	8	67	9	63	10	59	11	55	12	46
	72		72		67		62		58		54	
50 51	18	72	17	66	16	62	15	58	14	54	13	46
	71		71		66		62		58		54	
50 51	19	70	20	66	21	61	22	57	23	63	24	45
	70		70		65		61		57		53	
50 51	30	69	29	65	28	61	27	57	26	53	25	45
	69		68		64		60		56		52	
50	31	68	32	64	33	60	34	56	35	52	36	45
	44		44		44-43		43		43		43	

Meanders 774

The figures on the lines refer to the page.

1
Township N. 7 North, Range N. 6 East 2. Mer. Ind. a.

Township Lines.

South Boundary.

Bearings at cor. of T. 6 N, R. 6 E

a Beech 16 in. diameter S 29° W 12 lbs. dist. .8

a — — — — — N 67° E 20 " "

West on the S. Boundary of Sec. 36

15.00 a Brook 10 lbs. wide course S W

37.00 a Do 50 " " " S W

40.00 set of sec. port from which

a Beech 10 in. diameter N 85° E 12 lbs. dist. .8

a Do 10 " " " S 60° W 25 " "

47.50 a Do 24 " "

80.00 set port cor. of sec. 35 & 36 from which

a Beech 24 in. diameter N 77° E 28 lbs. dist. .8

a Do 10 " " " S 71° W 15 1/2 " "

Good farming land

West on the S. Boundary of Sec. 35

25.86 set port on the Indian Boundary from which

a W. Oak 24 in. diameter N 59° E 2 lbs. dist. .8

a Maple 10 " " " S 63° W 17 " "

Good farming land, timber Oak, Hickory & Poplar. Surveyed in 1806 by

Arthur Hennie

Dep. Surveyor

40.00 set of sec. port from which Var. 7° 30' E.

a Beech 12 in. diameter N 15° W 17 lbs. dist. .8

a Do 4 " " " S 34° E 5 " "

44.50 a Do 12 " "

70.00 a Branch 15 lbs. wide course S W

80.00 set port cor. of sec. 34 & 35 from which

a Sagwood 6 in. diameter N 61° W 22 lbs. dist. .8

a Beech 26 " " " S 8° E 14 " "

T. T. N., R. O. E. 2^d Mer. Ind^a

Level land, timber Beech, Oak Gum

West on the S. Boundary of Sec. 34

11.75 a Branch 10 M. wide course S

40.00 set of sec. post from which

a Beech 8 in. dis. bears West 7 M. dist. 8

a Do 15, , , S 78 E 27, ,

Level land, timber Beech, Oak, Gum, Upr. Spice

59.50 a Branch 5 M. wide course S

68.50 a Do 5, , , S

80.00 set post cr. of sec. 33 & 34 from which

a Beech 24 in. dis. bears N 45 E 13 M. dist. 8

a Dogwood 4, , , S 40 E 12, ,

Level land, timber Poplar, Sugar, Beech &

Upr. Spice, rich soil

West on the S. Boundary of Sec. 33

6.50 a Branch 5 M. wide course S

9.90 a Walnut 24 in. dis.

40.00 set of sec. post from which

a Beech 24 in. dis. bears N 85 E 27 M. dist. 8

a Do 14, , , S 30 W 14, ,

Level land, timber Beech, Upr. Spice, good soil

74.50 a Branch 4 M. wide course N

80.00 set post cr. of sec. 32 & 33 from which

a Beech 8 in. dis. bears S 31 W 8 M. dist. 8

a Do 9, , , N 31 E 8, ,

Land as last noted

West on the S. Boundary of Sec. 32

9.25 a Branch 4 M. wide course N

15.00 a Do 4, , , N

31.00 a Do 4, , , N

3

T. T. N., R. 6 E. 2^o Mer. Ind^a

- 40.00 set g'sec. post from which
 a Beech 10 in. diameter S 38° W 2 lbs. dist. 8
 a Do 4 " " " N 20° W 22 " "
- 41.00 a Branch 4 lbs. wide course N
- 58.00 a Do 4 " " " N
- 72.62 a Sycamore 72 " "
- 80.00 set post cor. of sec. 31 & 32 from which
 a Hackberry 15 in. diameter N 50° W 22 lbs. dist. 8
 an Ash 4 " " " S 66° E 19 " "
 First 1/2 mile level, timber as before noted, 2 1/2
 mile low ground subject to overflow, Oak, Ash &

West on the S. Boundary of Sec. 31

- 10.00 Intersect the river & set post from which
 a Cottonwood 15 in. diameter S 88° E 150 lbs. dist.
- 15.91 set post on right bank of river from which
 a Sugar 10 in. diameter N 53° W 27 lbs. dist. 8
 a Do 15 " " " S 60° W 40 " "
- 33.12 set g'sec. post from which
 a Beech 12 in. diameter N 59° W 20 lbs. dist. 8
 a Do 18 " " " N 39° E 16 " "
- 73.12 Intersect W. Boundary at post cor. of T. Co. 7 N, R. 5 &
 6 E, from which a Beech 20 N 44° W 14 lbs. dist. 8
 a Do 8 " " " "

First 1/2 mile low ground subject to overflow - 2 1/2 mile
 2^o bottom, timber Beech & soil good. Hackberry
 1806 John M. Donald, Dep. Surv.

East Boundary.

North on the E. Boundary of Sec. 36

- 35.50 a Brook 50 lbs. wide course S
- 40.00 set g'sec. post from which
 a Beech 10 in. diameter S 15° W 8 lbs. dist. 8
 a Do 7 " " " N 45° W 11 " "

T. T. N., R. C. E. I. Mer. Ind.^a

67.80 to the port established on the Indian Boundary from
which a Beech 8 in. dis. bears South 5th. dist. 8

a Sapapara 18, , , North 6, ,

Good farming land. Surveyed in 1806, by

Arthur Henrie

Dep. Surveyor.

80.00 set port cor. of sec. 25 & 36 from which (Var. 6th 34th E)

a Beech 8 in. dis. bears S 33 E 24th. dist. 8

a Do 18, , , N 82 W 24, ,

North on the E. Boundary of Sec. 25

22.85 a Beech 15 in. dis.

40.00 set of sec. port from which

a Beech 30 in. dis. bears S 10 E 19th. dist. 8

a Do 6, , , N 16 W 25, ,

65.00 a Spanish Oak 24 in. dis.

80.00 set port cor. of sec. 24 & 25 from which

a Hickory 18 in. dis. bears S 11 E 16th. dist. 8

a Gum 40, , , N 11 W 11, ,

Over wet Beech land, Upr. Spice

North on the E. Boundary of Sec. 24

19.50 a W. Oak 30 in. dis.

40.00 set of sec. port from which

a Sugar 10 in. dis. bears S 34 E 12th. dist. 8

a Ash 15, , , N 12 W 9, ,

49.40 a Maple 18, ,

57.29 a Brook 7th. wide runs S W

80.00 set port cor. of sec. 13 & 24 from which

a Hickory 8 in. dis. bears N 86 E 9th. dist. 8

a Do 18, , , S 46 W 9, ,

Over level land, timber Beech, Oak, Hickory,
Gum & Upr. Spice

T. T. N., R. 6 E. 2. Mer. Ind. a

North on the E. Boundary of Sec. 13

32.67 a Hickory 18 in. dia.

40.00 set of sec. post from which

an Elm 18 in. dia. bears S 72 E 12 lbs. dist. 8

a Beech 10 " " " S 82 W 16 " "

57.95 a Spanish Oak 40 in. dia.

80.00 set post cor. of sec. 12 & 13 from which

a Beech 5 in. dia. bears S 17 E 1 lb. dist. 8

a Do 10 " " " N 16 E 12 " "

Over level wet land, timber Beech, Hickory,
Oak &c.

North on the E. Boundary of Sec. 12

20.50 a Spanish Oak 18 in. dia.

40.00 set of sec. post from which

a Beech 6 in. dia. bears N 77 E 14 lbs. dist. 8

a Do 6 " " " S 49 W 20 " "

50.10 a Do 20 " "

63.50 a Creek 200 lbs. wide crosses SW

80.00 set post cor. of sec. 1 & 12 from which

a Beech 7 in. dia. bears N 61 E 19 lbs. dist. 8

a Do 13 " " " N 32 W 31 " "

Over wet level land, timber Beech &c.

North on the E. Boundary of Sec. 1

40.00 set of sec. post from which

an Ash 15 in. dia. bears S 24 E 8 lbs. dist. 8

a Hickory 8 " " " S 10 W 7 " "

77.74 set post cor. of S. 7 & 8 N. R. 6 & 7 E. from which

a Beech 8 in. dia. bears S 24 W 4 lbs. dist. 8

a Do 14 " " " S 10 W 32 " "

Rolling Beech land, soil good

T. 7 N., R. 6 E. 2^d Mer. Ind.^a

North Boundary

West on the S. Boundary of Sec. 36, T8N, R6E

40.00 Set g^l sec. post from whicha Beech 8 in. dia bears N 9 W 40th. dist. 3a Do 30th s s S 43 W 6th s s70.40 a Creek 15th. wide course S

80.00 Set post cor. of sec. 35 & 36 from which

a Beech 24 in. dia bears N 41 E 12th. dist. 18a Do 7th s s S 31 W 29th s s

Over rolling land, timber Beech, Poplar, Spice

West on the S. Boundary of Sec. 35, T8N, R6E

40.00 Set g^l sec. post from whicha Beech 18 in. dia bears N 10 E 18th. dist. 8a Do 8th s s S 12 E 23th s s

80.00 Set post cor. of sec. 34 & 35 from which

a Beech 12 in. dia bears N 62 E 8th. dist. 18a Do 12th s s N 30 W 18th s s

Land & timber as last noted

West on the S. Boundary of Sec. 34, T8N, R6E

40.00 Set g^l sec. post from whichan Ash 8 in. dia bears N 41 E 4th. dist. 8a W. Walnut 8th s s N 85 W 22th s s

80.00 Set post cor. of sec. 33 & 34 from which

a Sugar 8 in. dia bears N 79 E 30th. dist. 18a Do 15th s s N 81 E 14th s sOver level land rich soil, timber Sugar, Beech,
Poplar & Under Spice

West on the S. Boundary of Sec. 33, T8N, R6E

22.00 Intersect left bank of White River.

June 2^d 1819

7

T. 7 N., R. 6 E. 2^d Mer. Ind.^a

East on the S. Boundary of Sec. 31, T 8 N, R 6 E

0.75 a Branch 5 lbs. wide course SE

17.50 a Do 10 " " " " SW

33.50 a Do 4 " " " " NW

40.00 set of sec. post from which

a Beech 6 in. dia. bears N 23 W 8 lbs. dist. 8

a Do 20 " " " " S 83 E 20 " "

49.50 an Oak 30 " "

80.00 set post cor. of sec. 31 & 32 from which

a Beech 15 in. dia. bears N 39 W 19 lbs. dist. 8

a Do 10 " " " " S 59 E 6 " "

Rolling 2^d rate land, timber Beech, Poplar, Oak,
H. Under Spice

East on the S. Boundary of Sec. 32, T 8 N, R 6 E

0.35 an Ash 20 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears S 69 E 23 lbs. dist. 8

a Do 10 " " " " N 85 W 30 " "

67.00 enter low ground

70.00 a Pond 30 ft. wide SW

80.00 set post cor. of sec. 32 & 33 from which

a Beech 20 in. dia. bears S 77 W 39 lbs. dist. 8

a Do 15 " " " " N 23 E 40 " "

Rolling land, good soil, timber Beech, Poplar,
Sugar & Under Spice

East on the S. Boundary of Sec. 33, T 8 N, R 6 E

40.00 set of sec. post from which

a Buckeye 12 in. dia. bears N 75 W 24 lbs. dist. 8

a Do 10 " " " " S 38 W 18 " "

49.00 Entered right bank of White River, running
from N. to S. 471 lbs. wide, where a Buckeye

T. 7 N., R. 6. E. 2. Mer. Ind.?

3 in. dia. stands for Meander post from which
 a Locust 12 in. dia. bears N 40° W 9 chs. dist. 8
 a Sugar 4 " " " S 31° W 16 " "
 Low ground, subject to overflow, soil rich, timbered
 Walnut, Hackberry; Under Pawpaw & Spice

West Boundary

North on the E. Boundary of Sec. 36, T. 7 N., R. 5 E.
 16.49 an Elm 36 in. dia.

40.00 set of sec. post from which
 a Hackberry 6 in. dia. bears N 29° E 20 chs. dist. 8
 a Do 5 " " " S 83° W 26 " "

80.00 set post cor. of sec. 25 & 36 from which
 a Beech 15 in. dia. bears N 54° W - chs. dist. 8
 a Do 10 " " " S 34° W - " "
 Level land, soil rich, timber Sugar, Beech,
 Ash & Under Spice, Pawpaw, Oak

North on the E. Boundary of Sec. 25, T. 7 N., R. 5 E.

8.00 a Run 3 chs. wide course N° W
 20.50 a Branch 6 " " " S° W
 40.00 set of sec. post from which
 a Beech 10 in. dia. bears S 28° W 6 chs. dist. 8
 a Do 10 " " " S 49° E 5 " "
 49.27 a Do 24 " "
 60.35 a Do 15 " "

80.00 set post cor. of sec. 24 & 25 from which
 a B. A. ... 18 in. dia. bears S 60° E 4 chs. dist. 8
 a Do 18 " " " S 72° W 25 " "
 Over level land, soil good & rate, timber Beech,
 Poplar, Ash & Under Spice. May 30. 1819

North on the E. Boundary of Sec. 24, T. 7 N., R. 5 E.

T. 7 N., R. 6 E., 2^d Mer. Ind.^a

- 10.50 a Branch 6 lbs. wide course E
 35.50 a Do 3 " " " E
 40.00 set of sec. post from which
 a Beech 18 in. dia bears N 32 W 59 lbs. dist.
 Broken brushy land, timber Oak, Beech & Alder.
 Spruce, Oak, Ash, Sassafras & 2^d
 45.00 a Branch 3 lbs. wide course E
 54.00 a Do course E
 80.00 set post cor. of sec. 13 & 24 from which
 a Beech 10 in. dia bears N 71 E 5 lbs. dist. &
 a Do 6 " " " S 71 W 4 " "
 Land & the same as last noted

North on the E. Boundary of Sec. 13, T. 7 N., R. 5 E

- 4.09 a Poplar 36 in. dia.
 40.00 set of sec. post from which
 a Beech 10 in. dia bears N 20 E 15 lbs. dist. &
 a Do 12 " " " S 9 W 16 " "
 Rolling land timber Oak, Beech, Hickory &
 Under Sassafras, Oak, Spruce &
 50.50 a Beech 20 in. dia.
 67.75 a Branch 4 lbs. wide course S W
 80.00 set post cor. of sec. 12 & 13 from which
 a Beech 12 in. dia bears N 75 W 5 lbs. dist. &
 an Ash 18 " " " S 35 E 21 " "
 Land as last noted, Prato

North on the E. Boundary of Sec. 12, T. 7 N., R. 5 E

- 7.00 a Branch 4 lbs. wide course W
 15.00 a Do 4 " " " S W
 27.20 a Hickory 18 in. dia.
 40.00 set of sec. post from which
 a Hickory 20 in. dia bears S 20 E 17 lbs. dist. &

T. 7 N., R. 6 E. 2. Mer. Ind. 2.

a Beech 30 in. diam. bears N 57° W 18 lbs. dist.
Rolling land 2nd rate, timber Beech, Sugar,
Under Spice, Beech &c.

46.58 a Branch 4 lbs. wide course S W

48.25 a Beech 24 in. diam.

58.00 a Branch 5 lbs. wide course S W

80.00 Set post cor. of Sect. 1 & 12 from which
a Beech 18 in. diam. bears S 7 E 24 lbs. dist. 3
a Do 10 " " " N 46 E 11 " "
Level, timber &c. as last noted

North on the E. Boundary of Sec. 1, T. 7 N., R. 5 E

40.00 Set of Sec. post from which

a Beech 24 in. diam. bears S 79° W 25 lbs. dist. 28
a Gum 8 " " " N 9° W 18 " "

57.50 a Branch 20 lbs. wide course S W

80.00 Set post cor. of T. 7 & 8 N., R. 5 & 6 E. from which
a Beech 20 in. diam. bears S 19° W 18 lbs. dist. 28
an Ash 20 " " " N 11° W 17 " "
Level land, timber Beech, Poplar, Ash &c.
Upr. Beech & Dogwood - 2nd rate land
Surveyed in 1819 by

John M. Donald

Dep. Surveyor.

Subdivision.

North between Sect. 35 & 36, T. 7 N., R. 6 E.

16.00 Intersect Indian Boundary, set post from which
a Beech 7 in. diam. bears S 27 E 14 lbs. dist. 8

a Gum 18 " " " S 14° W 20 " "

Level, Beech, Oak & Poplar. December 1. 1806
Surveyed by

Jacob Fowler

Dep. Surveyor

T. T. N., R. O. E. L. Mer. Ind.

34.50 a B. Oak 18 in. dia. Var. 6' 30'. E
 40.00 set of sec. port from which
 a W. Oak 18 in. dia. bears S 32 E 8 lbs. dist. 8
 a Do 12 " " " N 62 W 28 " "
 60.06 a Beech 12 " "
 80.00 set port cor. of sec. 25, 26, 35 & 36 from which
 a Beech 16 in. dia. bears S 8 E 26 lbs. dist. 8
 a Do 12 " " " S 10 W 28 " "
 Flat Brato land, Beech, W. Oak &.

East on Random between Sec. 25 & 36

40.00 set temp. of sec. port
 79.70 Intersect E. Boundary 19 lbs. S. of port -
 Level Brato land, Beech, Oak, Poplar &
 Upr. Spice

West Connected between Sec. 25 & 36

39.85 set of sec. port at aver. dist. from which
 a Beech 10 in. dia. bears N 82 W 19 lbs. dist. 8
 a Do 15 " " " N 62 E 50 " "
 79.70 to sec. cor.

North between Sec. 25 & 26

27.00 a Beech 20 in. dia.
 40.00 set of sec. port from which
 a Beech 12 in. dia. bears S 7 E 18 lbs. dist. 8
 a Do 6 " " " S 25 E 17 " "
 60.65 a Do 15 " "
 80.00 set port cor. of sec. 23, 24, 25 & 26 from which
 a Beech 12 in. dia. bears S 43 E 20 lbs. dist. 8
 a Do 6 " " " N 37 W 17 " "
 Level Brato land, Beech, Oak, Poplar &
 Upr. Spice

T. 7 N., R. 6 E. 2. Mer. Ind.?

East on Random between Sec. 24 & 25

40.00 set temp. g'sec. post

80.65 Intersect E. Boundary 50 th. S. of post—
Broken 3rd rate land, Beech, Poplar, Hickory,
Gum & Upr. Beech

West Corrected between Sec. 24 & 25

40.32 set g'sec. post at over. dist. from which
a Beech 20 in. diam. N 74 E 27 th. dist. 2
a Do 15 " " " S 56 E 28 " "

80.65 to sec. cor.

North between Sec. 23 & 24

22.36 a Beech 20 in. dia.

40.00 set g'sec. post from which
a Sugar 10 in. diam. S 28 W 14 th. dist. 2
a R. Elm 15 " " " N 73 E 10 " "

65.15 a W. Walnut 30 " "

80.00 set post cn. of Sec. 13, 14, 23 & 24 from which
a Beech 10 in. diam. S 20 W 12 th. dist. 2
a Do 30 " " " S 62 W 15 " "
Rolling 2nd rate land, Beech, Sugar, Poplar, Elm,
Upr. Spice

East on Random between Sec. 13 & 24

40.00 set temp. g'sec. post

80.50 Intersect E. Boundary 80 th. S. of post—
Rolling 2nd rate land, Beech, Poplar, Sugar, Gum
& Upr. Spice

West Corrected between Sec. 13 & 24

40.25 set g'sec. post at over. dist. from which
a Sweet Gum 3 in. diam. N 53 E 14 th. dist. 2

T. J. N., R. C. E. I. Mer. Ind.?

a Beech 10 in. diameter S 10 E 12 lbs. dist.
80.50 to sec. port September 13. 1819

North between Sec. 13 & 14

21.60 a Beech 30 in. dia.

40.00 set of sec. port from which

a W. Ash 30 in. diameter S 28 W 29 lbs. dist. 8

a Bur Oak 32 " " " N 28 E 17 " "

54.54 a Beech 8 " "

80.00 set port cor. of sec. 11, 12, 13 & 14 from which

a Sugar 10 in. diameter S 13 W 9 lbs. dist. 8

a Hickory 12 " " " S 55 E 14 " "

Flat wet 3. rate land, Beech, Oak, Hickory &c.

East on Random between Sec. 12 & 13

40.00 set temp. of sec. port

80.78 Intersect E. Boundary 100 lbs. S. of port -

Level 3. rate land, Beech, Oak, Hickory - Upr. Beech,

Spice &c.

West Corrected between Sec. 12 & 13

40.39 set of sec. port at aver. dist. from which

a Beech 6 in. diameter S 74 E 23 lbs. dist. 8

a Do 14 " " " S 80 W 14 " "

80.78 to sec. cor.

North between Sec. 11 & 12

17.77 a Poplar 50 in. dia.

40.00 set of sec. port from which

a Beech 15 in. diameter N 3 W 15 lbs. dist. 8

a Do 14 " " " S 20 E 11 " "

41.00 enter fallen timber

75.00 leave " "

T. T. N., R. O. E. I. Mer. Ind.

70.00 crossed Sand Creek 100 lbs. wide runs NW
 80.00 set post on g. sec. 1, 2, 11 & 12 from which
 a Hackberry 6 in. diam bears N 2 W 16 lbs. dist. 8
 " Buckeye 8 " " " S 82 E 13 " "
 First 1/2 mile S. rate, last 1/2 mile T. rate land, very
 brushy, Beech, Sugar, Hackberry & Uplowth
 Spruce, Pines &c.

East on Random between Sec. 1 & 12

3.50 crossed Sand Creek, runs S 80 W
 10.00 enter fallen timber
 24.00 crossed Sand Creek, runs NW
 40.80 set temp. g. sec. post
 71.00 leave fallen timber
 80.75 Intersect E. Boundary 110 lbs. S. of post -
 Over creek slow bottom, Sycamore, Cottonwood,
 Hackberry &c.

West Corrected between Sec. 1 & 12

9.75 fallen timber
 40.37 set g. sec. post at aver. dist. from which
 a Sycamore 30 in. diam bears N 86 E 26 lbs. dist. 8
 a Hackberry 4 " " " N 77 E 24 " "
 56.75 to Sand Creek
 60.75 leave fallen timber
 77.25 crossed Sand Creek
 80.75 to sec. cor.

North between Sec. 1 & 2

20.90 a Beech 24 in. dia.
 40.00 set g. sec. post from which
 a B. Ash 12 in. diam bears N 71 W 12 lbs. dist. 8
 a Gum 30 " " " S 34 E 17 " "

T. 7 N., R. 6 E. 2^d Mer. Ind.^a

65.77 a Poplar 50 in. dia.

79.16 Intersect N. Boundary 312 lbs. W. of port—
 set post at intersection cor. of Sec. 14 & 2 from which
 a Beech 12 in. dia. bears S 80 E 22 lbs. dist. 8
 a Gum 30 " " " N 5 E 17 " "
 Level 2^d rate land, Beech, Sugar, Walnut, Poplar,
 & Upr. Spice &c. September 14, 1819

North between Sec. 34 & 35

34.50 a Beech 20 in. dia.

40.00 set of sec. post from which
 a W. Oak 30 in. dia. bears S 20 W 25 lbs. dist. 8
 a Beech 10 " " " S 54 E 21 " "

58.76 a Do 18 " "

80.00 set post cor. of Sec. 26, 27, 34 & 35 from which
 a Maple 8 in. dia. bears N 47 E 15 lbs. dist. 8
 a Sweet Gum 15 " " " S 8 E 26 " "
 Rolling 3^d rate land, Beech, Oak, Gum, Poplar &
 Upr. Dogwood, Spice

East on Random between Sec. 26 & 35

40.00 set temp. g. sec. post

80.38 Intersect N. S. line 110 lbs. S. of post—
 Level 3^d rate land, Beech, Oak, Hickory, Gum &
 Upr. Spice & Greenbriars

West corrected between Sec. 26 & 35

40.19 set g. sec. post at aver. dist. from which
 a Beech 20 in. dia. bears S 85 W 13 lbs. dist. 8

a Do 18 " " " S 30 E 34 " "

80.38 to Sec. cor.

North between Sec. 26 & 27

T. 7 N., R. 6 E. 2 Mer. Ind.?

22.15 a Beech 16 in. dia.

40.00 set g. sec. port from which

a W. Ash 20 in. dia. bears S 84 E 17 lbs. dist. 18

a W. Oak 24 " " S 81 W 26 " "

63.72 a Beech 12 " "

80.00 set port cor. of sec. 22, 23, 26 & 27 from which

a Beech 16 in. dia. bears S 15 W 20 lbs. dist. 18

a Do 8 " " N 59 E 25 " "

Rolling 3rd rate land, Beech, Oak, Poplar,
Ash & Wyr. Dogwood, Spice

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. port

80.16 Intersect N & S line 35 lbs. E. of port -

Rolling 3rd rate land, Beech, Oak, Poplar &
Wyr. Spice &

West Connected between Sec. 23 & 26

40.08 set g. sec. port at aver. dist. from which

a Beech 4 in. dia. bears N 32 W 10 lbs. dist. 18

a Do 3 " " S 70 E 5 " "

80.16 to sec. cor.

North between Sec. 22 & 23

24.75 a Beech 10 in. dia.

40.00 set g. sec. port from which

a Beech 10 in. dia. bears S 25 E 24 lbs. dist. 18

a Do 8 " " West 21 " "

64.80 a Do 20 " "

80.00 set port cor. of sec. 14, 15, 22 & 23 from which

a W. Ash 8 in. dia. bears S 39 E 25 lbs. dist. 18

a Beech 18 " " N 18 W 21 " "

Rolling 2nd rate land, Beech, Oak, Ash, Poplar &

T. & N., R. 6 E. 2^d. Mer. Ind.^a.

Upr. Spice

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. port

79.86 Intersect N. & S. line 100 Ms. E. of port -

Rolling 2^d rate land, Beech, Oak, Poplar, Spice

West Connected between Sec. 14 & 23

39.93 set g. sec. port at aver. dist. from which

a Beech 10 in. dia. bears N 20 W 4 Ms. dist. 8

a Poplar 36 " " " S 13 E 38 " "

79.86 to sec. cor.

North between Sec. 14 & 15

27.50 a firm 18 in. dia.

40.00 set g. sec. port from which

a Beech 10 in. dia. bears S 79 E 24 Ms. dist. 8

a Do 5 " " " N 36 W 4 " "

63.80 a Do 12 " "

75.00 enter fallen timber

80.00 set port cor. of Sec. 10, 11, 14 & 15 from which

a Beech 10 in. dia. bears N 88 E 23 Ms. dist. 8

a Do 12 " " " N 48 W 45 " "

First 1/2 mile rolling, last 1/2 mile flat 3^d rate,
Beech, Poplar, Oak, Maple - Upr. Dogwood,
Spice September 15. 1819

East on Random between Sec. 11 & 14

13.00 leave fallen timber

40.00 set temp. g. sec. port

80.36 Intersect N. & S. line 44 Ms. E. of port -

Level 2^d rate land, Beech, Oak, Sugar & Upr. Dogwood,
Spice

T. T. N., R. 6 E. 2. Mer. Ind. a.

West Corrected between Sec. 14 & 14

40.18 set g. sec. post at aver. dist. from which
 a Beech 18 in. diameter S 82° W 17 lbs. dist. 18
 a Dr 12 " " " S 78° E 11 " " "
 80.36 to sec. cor.

North between Sec. 10 & 11

32.24 crossed Sand Creek 100 lbs. wide cross S 80° W
 36.00 leave fallen timber
 40.00 set g. sec. post from which
 a Lycamore 36 in. diameter S 17° E 25 lbs. dist. 18
 a Dr 48 " " " N 70° E 33 " " "
 61.17 a Beech 18 " " "
 80.00 set post cor. of sec. 2, 3, 10 & 11 from which
 a Sugar 12 in. diameter N 43° E 19 lbs. dist. 18
 a Beech 8 " " " S 83° W 15 " " "
 First 1/2 mile through thickets in fallen timber
 last 1/2 mile good bottom, Beech, Sugar, Poplar,
 Hackberry & Upr. Spice &

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post in edge of a Pond which
 lies S
 80.50 Intersect N. G. line 36 lbs. N. of post -
 Level 1st rate land, Beech, Sugar, Hackberry,
 Walnut; Upr. Spice, Pawpaw

West Corrected between Sec. 2 & 11

40.25 set g. sec. post at aver. dist. ^{in Pond} from which
 no Bearing trees
 80.50 to sec. cor.

North between Sec. 2 & 3

T. J. N., R. O. E. P. Mer. Ind. A.

22.11 a Beech 16 in. dia.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears S 34 E 10 Ms. dist. 8

a Dr 16 " " " N 64 W 35 " "

57.36 a Dr 20 " "

80.00 Intersect N. Boundary 444 Ms. W. of post -

set post at intersection cor. of Sec. 2 & 3 from which

a Beech 18 in. dia. bears N 31 W 14 Ms. dist. 8

a Dr 12 " " " S 38 W 25 " "

Level 1 Prato land, Beech, Sugar, Oak, Ash,
Walnut, Poplar & Upr. Spice

Norths between Sec. 33 & 34

20.77 a Sugar 18 in. dia.

40.00 set g. sec. post from which

a Beech 16 in. dia. bears N 66 W 28 Ms. dist. 8

a Dr 14 " " " S 70 W 32 " "

60.00 a R. Oak 15 " "

80.00 set post cor. of Sec. 27, 28, 33 & 34 from which

a W. Oak 36 in. dia. bears N 81 E 17 Ms. dist. 8

a Beech 8 " " " N 42 W 30 " "

Level 3 Prato land, Beech, W & R. Oak & Upr.
Spice, Dogwood & September 10, 1819

East on Random between Sec. 27 & 34

40.00 set g. sec. post (temp.)

79.22 Intersect N. & S. line 54 Ms. E. of post -

Level 2 Prato land, Beech, Oak, Poplar, Walnut,
Upr. Spice

West corrected between Sec. 27 & 34

39.61 set g. sec. post at avn. dist. from which

a Beech 8 in. dia. bears S 21 E 30 Ms. dist. 8

T. T. N., R. O. E. 2^d. Mer. Ind.?

a Beech 10 in. dia. leans N 20° W 18 lbs. dist.
79.22 to sec. cor.

North between Sec. 27 & 28

24.50 a Poplar 30 in. dia.

40.00 set g. sec. post from which

a Beech 4 in. dia. leans South 5 lbs. dist. 8

a Do 6 " " " East 3 " "

54.00 a Do 36 " "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which

a Beech 6 in. dia. leans S 45° E 24 lbs. dist. 8

a Do 15 " " " N 61° W 15 " "

Broken 3^d rate land, Beech, Oak, Hickory, Poplar &

Upr. Spice

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. post

79.14 Intersect N & S line 62 lbs. E. of post -

Flat 3^d rate land, Beech, Oak, Hickory, Gum &

Upr. Spice, Beech &

West corrected between Sec. 22 & 27

39.57 set g. sec. post at arce. dist. from which

a Beech 20 in. dia. leans S 20° W 35 lbs. dist. 8

a Do 15 " " " N 64° W 27 " "

79.14 to sec. cor.

North between Sec. 21 & 22

26.36 to left bank of Driftwood, set post from which

a Sugar 16 in. dia. leans S 74° E 22 lbs. dist. 8

a Do 24 " " " S 18° W 30 " "

thence up the river

40.00 g. sec. cor. in River, no Bearing trees

T. J. N., R. C. E. I. Mer. Ind. a.

49.86 set post on left bank of River from which
a Cottonwood 10 in. diameter S 32 E 6 lbs. dist. 8
a Do 8 " " " S 46 W 4 " "

58.37 a Hackberry 15 " "

80.00 set post cor. of Sec. 15, 16, 21 & 22 from which
a Buckeye 8 in. diameter S 16 E 39 lbs. dist. 8
a Hackberry 18 " " " N 17 W 55 " "
Low bottom & river, Sycamore, Walnut, Hackberry,
Buckeye & Upr. Spice &

East on Random between Sec. 15 & 22

40.00 set trap. of sec. post

79.40 intersect N. S. line 42 lbs. S. of post -
Level 2nd to land, Beech, Sugar, Elm & Spice

West Connected between Sec. 15 & 22

39.70 set g. sec. post at aver. dist. from which
a Beech 12 in. diameter S 18 E 31 lbs. dist. 8
a Sugar 10 " " " S 56 W 4 " "

79.40 to sec. cor.

North between Sec. 15 & 16

25.70 a Hackberry 18 in. dia.

40.00 set g. sec. post from which
a Hickory 8 in. diameter N 44 W 21 lbs. dist. 8
a Buckeye 10 " " " S 77 W 26 " "

56.00 enter fallen timber

66.08 set post on left bank of Driftwood which
runs S W. from which
a Cottonwood 6 in. diameter N 65 W 31 lbs. dist. 8
a Sycamore 3 " " " N 62 E 40 " "
71.25 set post on right bank of river from which
a Hackberry 8 in. diameter N 83 E 22 lbs. dist. 8

T. T. N., R. O. E. 2^d Mer. Ind?

a Hackberry 5 in. dia bears N 64 E 22 lbs. dist.
 80.00 set post cor. of sect. 9, 10, 15 & 16 from which
 a Boxelder 8 in. dia bears N 13 W 5 lbs. dist. 8
 a Sycamore 40 ; ; S 72 W 60 ; ;
 Low bottom & River, Sycamore, Hackberry, Boxelder,
 Walnut & Wp. Spruce. September 17. 1819

East on Random between Sect. 10 & 15
 14.50 crossed Driftwood, runs S
 40.00 set temp. g. sec. post
 79.50 Intersect N & S line 30 lbs. S. of post -
 Level land, all through thickets in fallen timber

West Connected between Sect. 10 & 15
 39.75 set g. sec. post at aver. dist. from which
 no Bearing trees, it being in thicket
 59.60 set post on left bank of River from which
 no Bearing trees, it being in thicket
 65.00 set post on right bank from which
 a W. Elm 8 in. dia bears S 46 W 28 lbs. dist. 8
 a Do 6 ; ; N 73 W 21 ; ;
 79.50 to Sec. cor.

North between Sect. 9 & 10
 7.00 leave fallen timber
 36.53 a Buckeye 12 in. dia.
 40.00 set g. sec. post from which
 a Hackberry 15 in. dia bears N 57 W 22 lbs. dist. 8
 a Do 10 ; ; S 61 E 35 ; ;
 58.50 set post on right bank of Driftwood from which
 a B. Walnut 4 in. dia bears N 45 W 16 lbs. dist. 8
 a Buckeye 6 ; ; S 64 E 17 ; ;
 64.00 set post on left bank from which

T. T. N., R. O. E. L. Mer. Ind.

a Sycamore 10 in. dia. bears S 87 E 21 Ms. dist. 8

a Do 50 " " " N 40 E 38 " "

80.00 set port cor. of sec. 3, 4, 9 & 10 from which

a Sycamore 24 in. dia. bears N 31 W 18 Ms. dist. 8

a Do 48 " " " S 38 E 13 " "

Low Bottom & River, Sycamores, Cottonwood,
Hackberry, Buckeye & Upr. Spruce.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. port

79.72 Intersect N & S line 46 Ms. S. of port -

Level 1: Flat Bottom, Beech, Sugar, Walnut, Hack-
berry - Upr. Spruce & Pawpaw

West Harrods between Sec. 3 & 10

39.86 set g. sec. port at area. dist. from which

a Walnut 6 in. dia. bears S 61 E 14 Ms. dist. 8

a Sugar 12 " " " S 74 E 28 " "

79.72 to sec. cor.

North between Sec. 3 & 4

16.08 set port on left bank of Deerwood from which

a Bl. Ash 10 in. dia. bears West 2 Ms. dist. 8

a Hackberry 6 " " " East 2 " "

35.00 up the river to another port on left bank from

which a Willow 18 in. dia. bears N 38 W 8 Ms. dist. 8

a Do 12 " " " S 62 E 19 " "

40.00 set g. sec. port from which

a Boxelder 6 in. dia. bears S 13 W 30 Ms. dist. 8

a W. Ash 8 " " " N 49 E 15 " "

57.83 at Hackberry 18 " "

80.68 Intersect N Boundary 522 Ms. W. of port -
set port cor. of sec. 3 & 4 from which

T. 7 N., R. 6 E. 2^d Mer. Ind.^a

a Cherry 4 in. diameter S 13 W 22th. dist 18
 a R. Elm 4 " " " S 80 W 15 " "
 First 1/2 mile low Bottom & River - last 1/2 mile
 1st rate land, Sycamore, Hackberry, Sugar, Ash &
 Upr. Spice & Pawpaw

North between Sec. 32 & 33

18.00 to left bank of Sycamore, set post from which

a Beech 18 in. diameter S 72 W 50th. dist 18

a Sugar 10 " " " N 77 W 33 " "

65.00 up the river and across a sand bar to lower end
 of Tiptons Island

80.00 set post on upper point of Tiptons Island

No Bearing trees - September 18. 1819

East on Random between Sec. 28 & 33

6.81 to left bank of River

40.00 set temp. g. sec. post

81.00 intersect N & S line 190th. E. of post -

Hilly 2nd rate land, Beech, Poplar, Oak, Sugar,
 Ash & Upr. Spice

West Connected between Sec. 28 & 33

40.50 set g. sec. post at aver. dist. from which

a Beech 24 in. diameter N 75 W 20th. dist 18

a Do 8 " " " S 5 E 13 " "

74.19 set post on left bank of River from which

a Boxelder 5 in. diameter S 47 E 6th. dist 18

a Do 12 " " " N 36 W 57 " "

81.00 to Sec. cor.

North between Sec. 28 & 29

10.70 set post on right bank of River from which

T. T. N., R. C. E. L. Mer. Ind^a.

a Cottonwood 6 in. dia. leans N 63° W 15 lbs. dist. 8

a Do 8 " " " N 76° E 21 " "

23.08 a Beech 18 in. dia.

40.00 set of sec. post from which

a Beech 24 in. dia. leans N 87° W 25 lbs. dist. 8

a Do 12 " " " S 54° E 23 " "

61.56 a Do 12 " "

80.00 set post cor. of sect. 20, 21, 28 & 29 from which

a Beech 12 in. dia. leans N 27° W 36 lbs. dist. 8

a Do 10 " " " S 45° E 26 " "

First 1/2 mile low bottom, last 1/2 mile 1st rate,
Sycamore, Beech, Sugar, Hackberry; Upr. growth
Spice, Pawpaw

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. post

45.78 to right bank of River

50.28 to left " " "

80.74 Intersect N & S. line 214 lbs. S. of post -

Level 1st rate land, Hackberry, Elm, Buckeye,
Sugar, Sycamore & Upr. Spice

West Connected between Sec. 21 & 28

29.46 set post on left bank of River from which

a Cottonwood 12 in. dia. leans N 11° E 15 lbs. dist. 8

a W. Maple 5 " " " S 44° W 6 " "

34.96 set post on right bank of River from which

a Hackberry 6 in. dia. leans S 43° W 15 lbs. dist. 8

a Do 8 " " " N 63° E 8 " "

40.37 set of sec. post at aver. dist. from which

a W. Elm 6 in. dia. leans S 75° W 28 lbs. dist. 8

a Buckeye 12 " " " S 40° E 5 " "

80.74 to sec. cor.

T. T. N., R. C. E. 2^d Mer. Ind.?

North between Sec. 20 & 21

27.00 a Hackberry 18 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. leans S 16° W 25 lbs. dist. 28

a Do 12 " " " N 14° E 10 " "

62.00 a Do 15 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

a Hackberry 18 in. dia. leans S 60° E 11 lbs. dist. 28

a Buckeye 15 " " " N 60° W 15 " "

First into Bottomland, Beech, Hackberry,
Sugar, Buckeye, Elm & Upr. Spruce, Pawpaw

East on Random between Sec. 16 & 21

40.00 set temp. of sec. post

55.00 to right bank of River

63.00 to left " " "

80.92 Intersect N & S line 34 Ch. S. of post -

Low Bottom of River, Sycamore, Cottonwood,
Hackberry, Buckeye &c.

West Connected between Sec. 16 & 21

17.92 set post on left bank of River from which

a W. Maple 10 in. dia. leans N 66° E 9 lbs. dist. 28

a Cottonwood 6 " " " S 45° W 21 " "

25.92 set post on right bank of River from which

a Sycamore 10 in. dia. leans S 73° W 18 lbs. dist. 28

a Cottonwood 12 " " " S 62° E 29 " "

40.46 set of sec. post at aver. dist. from which

a Walnut 10 in. dia. leans N 68° W 12 lbs. dist. 28

a Boxelder 10 " " " N 65° E 14 " "

80.92 to sec. cor.

North between Sec. 16 & 17

T. T. N., R. C. E. 2. Mer. Ind. a.

15.00 enter fallen timber
 40.00 set g. sec. post in a thicket in fallen timber,
 No Bearing trees
 58.00 leave fallen timber
 65.80 a W. Ash 12 in. dia.
 80.00 set post cr. of sec. 8, 9, 16 & 17 from which
 a Beech 16 in. dia. leans S 42° W 6 lbs. dist. 8
 a W. Elm 30 " " " S 53° E 15 " "
 Bottom land, Beech & Elm, thickets of
 Spice, Hornbeam, Briers &c.

East on Random between Sec. 9 & 16

40.00 set temp. g. sec. post
 80.90 Intersect N & S line 275 lbs. E. of post -
 Level Bottom, land 1. Rate, Sugar, Beech,
 Ash, Elm, Sycamore; Upr. Spice, Pawpaw

West Connected between Sec. 9 & 16

40.45 set g. sec. post at aver. dist. from which
 a Buckeye 12 in. dia. leans S 84° E 18 lbs. dist. 8
 a R. Oak 30 " " " S 47° W 15 " "
 80.90 to Sec. cor. September 19. 1819

North between Sec. 8 & 9

25.90 a Hickory 20 in. dia.
 40.00 set g. sec. post from which
 a Beech 18 in. dia. leans S 76° E 31 lbs. dist. 8
 a Do 24 " " " N 61° W 27 " "
 66.38 a Do 24 " "
 80.00 set post cr. of sec. 4, 5, 8 & 9 from which
 a Beech 20 in. dia. leans N 43° W 31 lbs. dist. 8
 a Buckeye 10 " " " S 33° E 11 " "
 First rate Bottom, Beech, Sugar, Ash, Hack-

T. T. N., R. O. E. I. Mer. Ind. a

berry, Buckeye & Upr. Spice &

East on Random between Sed. H & 9

40.00 set temp. g. sec. port

70.50 to right bank of River

74.96 to left " " "

81.06 Intersect N & S line 221 W. S. of port -

First note Bottom, Sugar, Hackberry, Ash &
Upr. Spice &

West Connected between Sed. H & 9

6.10 set port on left bank of River from which
a Cottonwood 10 in. diameter S 24 W 8 W. dist 8
a Do 12 " " " N 65 E 10 " "10.56 set port on right bank of River from which
No Bearing trees - covered with small Willow
bushes40.53 set g. sec. port at aver. dist. from which
a Buckeye 10 in. diameter East 12 W. dist 18
a Do 12 " " " S 31 W 16 " "

81.06 to sec. cor.

North between Sed. H & 5

22.40 a Buckeye 12 in. dia.

40.00 set g. sec. port from which

a W. Ash 10 in. diameter N 79 W 18 W. dist 8

a R. Oak 12 " " " S 34 E 22 " "

58.50 a Hackberry 18 " "

81.75 Intersect N. Boundary 705 W. N. of port -
in a Pond, no Bearing treesFirst note Bottom, Sugar, Beech, Hackberry, Ash &
Upr. Spice

T. T. N., R. O. E. 2^d Mer. Ind.^a

North between Sec. 31 & 32

16.75 to left bank of Driftwood, set post from which

No Bearing trees, covered with Willow bushes

21.42 to right bank of River, set post from which

a Boxelder 6 in. dia. bears S 54 W 14 Ms. dist. 3

a Do 5 " " " N 10 W 9 " "

40.00 set g. sec. post from which

a Buckeye 10 in. dia. bears S 4 W 8 Ms. dist. 3

a Hackberry 24 " " " S 4 E 20 " "

70.07 a W. Ash 30 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a B. Ash 24 in. dia. bears S 81 E 30 Ms. dist. 3

a R. Locust 15 " " " N 37 E 21 " "

First rate Bottom, Walnut, Ash, Hackberry,
Buckeye - Upr. Spruce

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post

73.77 to right bank of Driftwood, opposite upper
end of Tiptons Island

80.90 Intersect N & S. line 68 Ms. N. of post -

First rate Bottom, Walnut, Hackberry, Ash,
Buckeye, Sugar.

West Connected between Sec. 29 & 32

7.13 set post on right bank of River from which

a Buckeye 10 in. dia. bears N 78 E 25 Ms. dist. 3

a Sugar 18 " " " S 23 W 37 " "

40.45 set g. sec. post at aver. dist. from which

a W. Ash 8 in. dia. bears West 12 Ms. dist. 3

a Do - " " " S 84 E 10 " "

80.90 to sec. cor. September 20. 1819

T. J. N., R. C. E. 2^d Mer. Ind. ^a

West between Sec. 30 & 31

32.54 a Sugar 12 in. dia.

40.00 Set of sec. port from which

a R. Oak 36 in. dia. leans N 77 E 9 ft. dist. 8

a Beech 20 " " " S 74 W 17 " "

62.70 a Do 16 " "

72.50 Intersect W. Boundary 135 ft. N. of port -

Set port at intersection cor. of Sec. 30 & 31 from which

a Beech 6 in. dia. leans S 25 W 18 ft. dist. 8

a Do 36 " " " S 34 E 12 " "

First 1/2 mile level, last 1/2 mile rolling 2. rate,
Beech, Sugar, Oak & Upr. Spice

North between Sec. 29 & 30

26.35 a Beech 12 in. dia.

40.00 Set of sec. port from which

a Beech 30 in. dia. leans N 20 W 27 ft. dist. 8

a Do 36 " " " N 81 W 45 " "

61.30 a Do 20 " "

80.00 Set port cor. of sec. 19, 20, 29 & 30 from which

a Beech 10 in. dia. leans N 78 E 7 ft. dist. 8

a Do 20 " " " S 40 W 28 " "

Level 2. rate land, Beech, Sugar, Oak, Poplar
& Upr. Spice

East on Random between Sec. 20 & 29

40.00 Set temp. g. sec. port

81.00 Intersect N. S. line 60 ft. N. of port -

Level 1. rate land, Beech, Sugar, Locust &
Upr. Spice, Pawpaw

West cancelled between Sec. 20 & 29

40.50 Set g. sec. port at area, dist. from which

T. J. N., R. C. E. 2. Mer. Ind. a

a Beech 12 in. dia. clear N 12 W 21 M. dist. 8

a Sugar 10 " " " S 33 E 11 " "

81.00 to sec. cor.

West between Sec. 19 & 30

16.00 a W. Ash 40 in. dia.

40.00 set of sec. post from which

a Gum 24 in. dia. clear N 50 E 8 M. dist. 8

a Maple 8 " " " S 15 E 16 " "

57.84 a Beech 12 " "

72.80 Intersect W. Boundary 26 M. S. of post -

set post at intersection cor. of sec. 19 & 30 from which

a Gum 12 in. dia. clear S 81 E 14 M. dist. 8

a Beech 20 " " " S 11 W 12 " "

Level wet 3. rate land, Beech, Oak, Gum, Hick-
ory & Upr. Spice

North between Sec. 19 & 20

21.38 a Beech 12 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. clear N 60 W 3 M. dist. 8

a Dogwood 4 " " " N 29 E 8 " "

60.00 enter fallen timber

80.00 Set post cor. of sec. 17, 18, 19 & 20 from which

a Hornbeam 6 in. dia. clear N 65 W 32 M. dist. 8

a Cherry 4 " " " N 84 E 44 " "

Level 2. rate land, Beech, Oak, Hickory &
Upr. Spice

East on Random between Sec. 17 & 20

40.00 set of sec. post (temp.)

80.66 Intersect N. S. line 30 M. N. of post -

Level 2. rate land, Beech, Sugar, Oak & Upr. Spice &

T. J. N., R. C. E. L. Mer. Ind. a

West corrected between Sec. 17 & 20

40.33 set of sec. port at aver. dist. from which
 a Beech 12 in. diam. S 21° W 5 1/2 m. dist. 1/2
 a Sugar 15 " " " S 80° E 16 " "
 80.66 to sec. cor.

West between Sec. 18 & 19

18.86 a Beech 12 in. dia.

40.00 set of sec. port from which
 a Beech 10 in. diam. S 12° W 18 m. dist. 1/2
 a W. Oak 8 " " " N 60° E 6 " "

56.50 a Do 12 " "

73.12 Intersect W. Boundary at port -

First 1/2 mile level 2nd rate - last 1/2 mile swampy
 Beech, Oaks, Gum, Maple & Upr. Spruce, Beech &
 September 21. 1819

North between Sec. 17 & 18

15.00 have fallen timber

30.50 a Beech 15 in. dia.

40.00 set of sec. port from which
 a Hornbeam 6 in. diam. N 51° W 14 m. dist. 1/2
 a B. Walnut 20 " " " S 65° E 25 " "

64.27 a Beech 10 " "

80.00 set port cor. of Sec. 17 & 18 from which
 a Beech 10 in. diam. S 55° E 20 m. dist. 1/2
 a Do 6 " " " S 46° W 7 " "

Level 1st rate land, Beech, Sugar, Ash & Spruce

East on Random between Sec. 8 & 17

40.00 little up. of sec. port

80.10 Intersect N. E. line 92 m. N. of port -

Level 1st rate land, Beech, Sugar, Ash, Poplar &

T. T. N., R. O. E. 2^o. Mer. Ind.^a

Upr. Spice

West corrected between Sec. 8 & 17

40.05 set of sec. port at aver. dist. from which
 a Hornbeam 6 in. diam. N 79 E 11 lbs. dist. 8
 a Beech 15 " " " S 68 W 46 " "

80.10 to sec. cor.

West between Sec. 7 & 18

18.18 a Beech 20 in. dia.

40.00 set of sec. port from which
 a W. Elm 36 in. diam. N 43 E 28 lbs. dist. 8
 a Poplar 36 " " " S 53 W 31 " "

61.50 a Beech 10 " "

73.50 Intersect W. Boundary 245 lbs. S. of port—
 set port at intersection cor. of Sec. 7 & 18 from which
 a Beech 12 in. diam. N 4 E 13 lbs. dist. 8
 a Do 12 " " " S 45 W 5 " "
 First 1/2 mile 1st rate, last 1/2 mile 2nd rate—
 Beech, Sugar, Poplar, Hackberry, Ark. & Upr.
 Spice, Pawpaw

North between Sec. 7 & 8

19.91 a Beech 12 in. dia.

40.00 set of sec. port from which
 a Coffenut 18 in. diam. S 44 E 20 lbs. dist. 8
 a Hackberry 6 " " " S 48 W 9 " "

57.03 a Beech 24 " "

80.00 set port cor. of sec. 5, 6, 7 & 8 from which
 a Beech 12 in. diam. S 10 W 23 lbs. dist. 8
 a W. Oak 40 " " " N 51 E 36 " "
 Level 2nd rate land, Beech, Oak, Poplar & Spice &

T. T. N., R. O. E. L. Mer. Ind. a

East on Random between Sect. 5 & 8

40.00 Set temp. g. sec. port

80.60 Intersect N. & S. line 18 ths. S. of port—

Good T. rate land, Beech, Sugar, Poplar, R. Oak
& Upr. Spice & Pawpaw

West Corrected between Sect. 5 & 8

40.30 Set g. sec. port at aver. dist. from which

a Beech 20 in. diameter S 20° W 18 ths. dist. 8

a Do 10 " " " N 47° W 20 " "

80.60 to sec. cor.

West between Sect. 6 & 7

19.97 a Beech 20 in. dia.

40.00 Set g. sec. port from which

a W. Oak 18 in. diameter East 4 ths. dist. 8

a Do 15 " " " S 61° W 30 " "

71.13 a Beech 20 " "

72.37 Intersect W. Boundary 212 ths. E. of port—

Set port cor. of Sect. 6 & 7 from which

a W. Ash 18 in. diameter S 70° E 4 ths. dist. 8

a Beech 12 " " " S 11° E 6 " "

Broken 3rd rate land, Beech, Oak, Poplar &
Upr. Spice

North between Sect. 5 & 6

19.78 a Beech 12 in. dia.

40.00 Set g. sec. port from which

a Beech 10 in. diameter N 35° W 13 ths. dist. 8

a Do 18 " " " S 53° W 11 " "

60.56 a Do 12 " "

81.56 Intersect N. Boundary 754 ths. W. of port—

Set port at intersection cor. of Sect. 5 & 6 from which

T. J. N., R. O. E. I. Mer. Ind. a.

a Maple 18 in. dia bears N 28 E 14 M. dist. 3
 a Beech 12 " " " S 28 W 18 " "
 Broken 3 rats land, Beech, Oak, Hickory &
 Upr. Dogwood & September 22, 1819

Meanders of Driftwood on East fork of
 White River. Commenced on S. Boundary,
 thence left bank up stream:

Courses Dist.	Remarks
-----	to post in line between Sec. 31 & 32 No Bearing trees
N 80 E 5.23	In Sec. 32
N 64 E 4.30	
S 86 E 7.20	
S 66 E 10.95	
N 69 E 10.00	
N 18 E 18.38	
N 64 E 7.20	
S 58 E 12.28	
S 40 E 8.10	
-----	to post in line between Sec. 32 & 33 (a Sugar & Beech)
N 35 E 17.50	In Sec. 33
N 15 W 12.00	
-----	to post in line between Sec. 28 & 33 (2 Boxelders)
North 6.45	In Sec. 28
N 69 E 20.70	
N 50 E 14.30	
N 24 E 13.75	

T. T. N., R. C. E. I. Mer. Ind.?

N29W 17.40

N67E 7.75

N85E 14.00

N36E 10.20

North 8.00

----- to port in line between Sec. 21 & 28

N10E 10.08 In Sec. 21

N65E 28.60

----- to port in line between Sec. 21 & 22
A Sugar & Hornbeam

N28E 19.00 In Sec. 22

----- to port in line between Sec. 21 & 22
2 CottonwoodsN45W 28.50 In Sec. 21 - to port in line between Sec. 16 & 21
A Maple & Cottonwood

N42E 17.50 In Sec. 16

N8W 12.26

N58W 19.00

North 9.20

N35E 12.60

----- to port in line between Sec. 15 & 16
A Sycamore & Cottonwood

N62E 11.00 In Sec. 15

----- to port in line between Sec. 10 & 15
In a thicket in fallen timberN13E 24.00 In Sec. 10 - to mouth of Sand Creek
comes from the East 125 yds. wide

T. T. N., R. C. E. 2^d. Mer. Ind. a

N 24° W 16.00

N 53° W 18.00

N 89° W 6.30

----- to port in line between Sec. 9 & 10
2 Sycamores----- In Sec. 9 - to port in line between Sec. 4
& 9 2 Cottonwoods

N 11° E 14.80 In Sec. 4

----- to port in line between Sec. 3 & 4
A Blue Ash & Hackberry

N 36° E 12.26 In Sec. 3

----- to port in line between Sec. 3 & 4 (2 Willows)

N 50° W 17.00 In Sec. 4

N 7° W 18.00

----- to port in N. Boundary on left bank
September 23, 1819Right bank up stream. Commenced
at port in S. Boundary, thence:

N 5° W 10.00 In Sec. 31

----- to port in line between Sec. 31 & 32
2 Box Elders

N 70° E 6.00 In Sec. 32

N 74° E 5.20

East 4.70

S 63° E 10.30

N 61° E 11.60

N 20° E 18.50

T. J. N., R. C. E. I. Mer. Ind.

N62E 7.40

S57E 12.16

S41E 7.96

S64E 18.00

N34E 17.00

N17W 13.00

----- to port in line between Sec. 29 & 32
A Buckeye & Sugar

----- In Sec. 29 - to port in line between Sec.
28 & 29 2 Cottonwoods

N71E 20.00 In Sec. 28

N47E 14.50

N25E 13.50

N28W 17.30

N68E 8.00

N83E 14.50

N38E 10.40

N6W 7.80

----- to port in line between Sec. 21 & 28
2 Hackberries

N12E 11.00 In Sec. 21

N64E 28.00

N25E 9.00

N10E 18.80

N45W 39.60

----- to port in line between Sec. 16 & 21
A Sycamore & Cottonwood

N41E 17.00 In Sec. 16

N9W 12.20

T. 7 N., R. 6 E., 2^d Mer. Ind.^a

N 59 W 18.75

N 2 E 10.00

N 36 E 13.00

----- to post in line between Sec. 15 & 16
2 Hackberries----- In Sec. 15 - to post in line between Sec.
10 & 15 2 Elms

N 12 E 23.00 In Sec. 10 - opposite mouth of Sand Cr.

N 25 W 15.75

N 32 W 18.20

N 38 W 6.50 to post in line between Sec. 9 & 10
73 45 A Buckeye & Walnut----- In Sec. 9 - to post in line between Sec.
4 & 9 No Bearing trees

N 10 E 14.50 In Sec. 4

N 45 E 4.20

N 37 E 12.00

N 28 W 8.40

N 48 W 10.00

N 8 W 18.20

----- to post in N. Boundary on right bank
73 45 September 24. 1819 Surveyed by
B. F. Marris
Dep. Surveyor.What Meanders! Transcriber -

T. 7 N., R. 6 E. 2^d Mer. Ind.^a

I certify that the foregoing transcript of
Field Notes of the survey of Township N^o 7
North in Range N^o 6 East of the 2^d Princip-
al Meridian, in the State of Indiana, has
been compared with the original on file in
this office, and found to be correct.

Surveyor General's Office,

Cincinnati, March 31. 1842

E. S. Haines
Sur. Genl.